



BY APPOINTMENT TO
HER MAJESTY QUEEN ELIZABETH II
HORSE FOOD MANUFACTURERS
DODSON & HORRELL LIMITED, NANTWICH

DODSON & HORRELL

ANIMAL HEALTH, NUTRITION AND WELL-BEING

FEEDING SUCCESS

BREEDING

EQUILAC MARES MILK



Equilac is a complementary milk replacer for rearing or weak foals

- Dissolves completely
- Optimum nutritional support
- Supporting growth and development of foals
- Can be used as an addition to mares milk
- Can be given from day one to weaning



Bag size: **10KG**
Shelf life: **12 Months from date of manufacture**
(store below 25 degrees (c))

Profile	
Protein	26%
Fibre	0%
Oil & Fats	12%
Ash	7%
Sodium	0.5%
Lactose	47%
Lysine	2.17g/kg
Methionine	0.6g/kg

Vitamins	
Vitamin A	25,000iu/kg
Vitamin D	7,850iu/kg
Vitamin E	146mg/kg
Biotin	100mcg/kg

Vitamins	
Ferrous Sulphate Monohydrate /E1	167mg/kg
Calcium iodate anhydrous /3b202	4.1mg/kg
Cupric sulphate Monohydrate	80mg/kg
Manganous Sulphate /3b502	129mcg/kg
Zinc Sulphate Monohydrate /3b605	145mg/kg
Sodium selenite / E8	9.2mg/kg

Composition

Skim milk powder, Fat-filled skim milk powder, Whey powder. Fat-filled whey powder, Dextrose

Mineral values for Equilac are total values within the product including added and naturally occurring minerals from grains, fibres and other raw materials. Such materials are naturally variable and as such total values may vary slightly.

IT IS VITAL THAT ALL FOALS RECEIVE COLOSTRUM WITHIN THE FIRST 12HRS OF BIRTH.

It is recommended that your veterinarian tests the IGg status of your foal and if appropriate administers treatment.

All feeding & mixing equipment should be washed thoroughly in boiling water after use and left to dry thoroughly on a clean surface.

Mixing Instruction - Mixing Strength: 130g/L

- Equilac mixes instantly in warm water – add the milk powder to the water and whisk.
- Only mix enough Equilac for one meal.
- Equilac should be fed at 37-38OC (98-100 degrees Fahrenheit).
- Equilac should be weighed before mixing for complete accuracy, but as a guide a level scoop filled to the 250 mark weighs approximately 4.5oz/ 130g.
- A small amount of blue coloured specs in Equilac should be expected and are perfectly normal. They are a result of the inclusion of a bioavailable source of copper.

Equilac Feeding Guidelines

- Equilac may be fed to orphan foals via a suitably teated bottle or bucket.
- Equilac may also be fed to foals where the mare has insufficient milk. Generally this should be half the recommended quantities at the same feeding frequency.
- The suggested feeding rates should be used as a guide only and adjusted according to body weight and condition. If the foal scours, or does not achieve satisfactory growth rate or condition, please contact your veterinarian or Dodson & Horrell's Helpline.
- Do not exceed mixing strengths without veterinary or nutritional advice.
- If your foal does not drink the recommended quantities, contact your vet as dehydration will cause major problems in young foals.
- Ensure clean fresh water is available at all times.
- Dodson & Horrell Foal Creep Pellets or Suregrow should be offered from the tenth day onwards.

Hand Rearing

If a foal is orphaned or the mare has no milk, Equilac mares milk Replacer is suitable to feed from one day old up to weaning. Equilac provides calories, protein, vitamins and minerals to support the growing foal.

Equilac is not a source of colostrum. It is vital that colostrum is consumed as the primary source of milk within the first 12-14 hours of birth.

For more help, advice or information on nutrition for your horse or finding the right feed for your horse, please contact us.

Nutritional helpline: 01270 782223
enquiries@dodsonandhorrell.com
dodsonandhorrell.com

EQUILAC AVERAGE DAILY INTAKES BASED ON APPROXIMATE MATURE BODY WEIGHT 150 KG MATURE BODY WEIGHT EG MINIATURES

AGE DAYS (WEEKS)	TYPICAL BODYWEIGHTS (Kg)	MINIMUM RECOMMENDED FEEDS PER DAY	Daily EQUILAC INTAKE (litres)	TYPICAL CONCENTRATE FEED DAILY INTAKES (g) Foal Creep Pellets or Suregrow
1-7 (1)	15-17.75	24 (Hourly)	4.5-5.5	None
7-14 (2)	17.75-20	12 (every 2 hours)	5.5-6	None-25
14-21 (3)	20-25	9 (every 2 hours with a 6 hour break overnight)	5.5-6	25-75
21-28 (4)	25-27	6 (every 3 hours with a 6 hour break overnight)	5.75-6.5	75-125
28-35 (5)	27-30		6-6.5	125-175
35-42 (6)	30-32		5.5-6	175-225
42-49 (7)	32-34		5-5.25	225-250
49-56 (8)	34-36.25		3.75-4.5	250-325
56-63 (9)	36.25-38.5		3.25-4.25	325-375
63-70 (10)	38.5-40.5		3-3.75	375-450
70-77 (11)	40.5-42.5		2.5-3.5	450-525
77-84 (12)	42.5-45		2.25-3	525-625

250 KG MATURE BODY WEIGHT EG 12hh WELSH SECTION A

AGE DAYS (WEEKS)	TYPICAL BODYWEIGHTS (Kg)	MINIMUM RECOMMENDED FEEDS PER DAY	Daily EQUILAC INTAKE (litres)	TYPICAL CONCENTRATE FEED DAILY INTAKES (g) Foal Creep Pellets or Suregrow
1-7 (1)	25-29.5	24 (Hourly)	7.75-9	None
7-14 (2)	29.5-35	12 (every 2 hours)	9-10.25	None - 50
14-21 (3)	35-40	9 (every 2 hours with a 6 hour break overnight)	10.25-11.25	50-125
21-28 (4)	40-42.25	6 (every 3 hours with a 6 hour break overnight)	11.25	125-225
28-35 (5)	42.25-50		11.25-13	225-300
35-42 (6)	50-53.5		11.75-12.25	300-375
42-49 (7)	53.5-57		10.75-11.25	375-425
49-56 (8)	57-60.5		10	425-525
56-63 (9)	60.5-64		9.75-10	525-650
63-70 (10)	64-67.5		9.75	650-750
70-77 (11)	67.5-71		9.5-9.75	750-900
77-84 (12)	71-75		9.5	900-1,000

300 KG MATURE BODY WEIGHT EG 13hh WELSH SECTION C

AGE DAYS (WEEKS)	TYPICAL BODYWEIGHTS (Kg)	MINIMUM RECOMMENDED FEEDS PER DAY	Daily EQUILAC INTAKE (litres)	TYPICAL CONCENTRATE FEED DAILY INTAKES (g) Foal Creep Pellets or Suregrow
1-7 (1)	30-34.5	24 (Hourly)	9.25-11	None
7-14 (2)	34.5-42	12 (every 2 hours)	11-12.5	None - 50
14-21 (3)	42-48	9 (every 2 hours with a 6 hour break overnight)	12.5-13.5	50-150
21-28 (4)	48-55	6 (every 3 hours with a 6 hour break overnight)	13.5-14.5	150-275
28-35 (5)	55-60		14.5-15.5	275-375
35-42 (6)	60-64		14-14.5	375-450
42-49 (7)	64-68		13.5-13.75	450-500
49-56 (8)	68-72.5		12	500-625
56-63 (9)	72.5-77		11.75-12	625-775
63-70 (10)	77-81		11.75-12	775-900
70-77 (11)	81-85		11.75-12	900-1,000
77-84 (12)	85-90		11-12	1,000-1,250

400 KG MATURE BODY WEIGHT EG 14HH ARAB

AGE DAYS (WEEKS)	TYPICAL BODYWEIGHTS (Kg)	MINIMUM RECOMMENDED FEEDS PER DAY	Daily EQUILAC INTAKE (litres)	TYPICAL CONCENTRATE FEED DAILY INTAKES (g) Foal Creep Pellets or Suregrow
1-7 (1)	40-47	24 (Hourly)	10.75-12.75	None
7-14 (2)	47-56	12 (every 2 hours)	12.75-14.5	None - 75
14-21 (3)	56-65	9 (every 2 hours with a 6 hour break overnight)	14.5-16	75-175
21-28 (4)	65-72.5	6 (every 3 hours with a 6 hour break overnight)	16-17	175-325
28-35 (5)	72.5-80		17-18.25	325-425
35-42 (6)	80-85		16-17	425-475
42-49 (7)	85-90		14.5-15	475-550
49-56 (8)	90-97.5		13.25	550-700
56-63 (9)	97.5-100		13.25	700-850
63-70 (10)	100-110		13-13.25	850-1,000
70-77 (11)	110-115		12.5-13	1,000-1,200
77-84 (12)	115-120		12.25-12.5	1,200-1,375

500 KG MATURE BODY WEIGHT EG 16HH THROUGHbred

AGE DAYS (WEEKS)	TYPICAL BODYWEIGHTS (Kg)	MINIMUM RECOMMENDED FEEDS PER DAY	Daily EQUILAC INTAKE (litres)	TYPICAL CONCENTRATE FEED DAILY INTAKES (g) Foal Creep Pellets or Suregrow
1-7 (1)	50-59	24 (Hourly)	11.5-13.5	None
7-14 (2)	59-69.5	12 (every 2 hours)	13.5-15.25	None - 100
14-21 (3)	69.5-80	9 (every 2 hours with a 6 hour break overnight)	15.25-17	100-200
21-28 (4)	80-90.5	6 (every 3 hours with a 6 hour break overnight)	17-18.25	200-350
28-35 (5)	90.5-100		18.25-19.5	350-450
35-42 (6)	100-105		17.25-18	450-550
42-49 (7)	105-115		16-16.5	550-650
49-56 (8)	115-120		14.75	650-800
56-63 (9)	120-130		14.75	800-950
63-70 (10)	130-135		14.5-14.75	950-1,150
70-77 (11)	135-145		14.25-14.5	1,150-1,350
77-84 (12)	145-150		13.75-14.25	1,350-1,550

***1 Litre = 1.75 Pints**

For more help, advice or information on nutrition for your horse or finding the right feed for your horse, please contact us.

Nutritional helpline: 01270 782223
enquiries@dodsonandhorrell.com
dodsonandhorrell.com